

Management Development Institute Gurgaon

Date: 08.10.2026

Addendum-1

Tender Ref. No.: MDI/CC/2026-27/BH-LA-Nw-WiFi/02

Date: 22.09.2026

Sub: Invitation of sealed quotations for SITC of Networking and WiFi for new buildings.

S. No.	Page / Clause / Sr.No.	Existing Description/ Query	Revised Description
1.	Page 1	EMD of Rs. 4,00,000/- (Four Lakh Rupees) through Demand Draft from any scheduled bank in favor of Management Development Institute Society payable at Gurugram, Haryana	EMD of Rs. 4,00,000/- (Four Lakh Rupees) through Demand Draft from any scheduled bank in favor of Management Development Institute Society payable at Gurugram, Haryana. Exemption from EMD given only to Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department [or Startups as recognized by Department for Promotion of Industry and Internal Trade (DPIIT) subject to submission of supporting documentary proof.
2.	Page 1	Last Date of Bid Submission 13.10.2026 3:30 PM	Last Date of Bid Submission 27.10.2026 3:30 PM
3.	Page 11 Point No.2	Bids without EMD would be rejected.	Bids without EMD would be rejected except in case of Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department [or Startups as recognized by Department for Promotion of Industry and Internal Trade (DPIIT) subject to submission of supporting documentary proof.
4.	Page 11	Minimum Required Qualification, S.No. 3, The Bidder has to be profitable and should not have incurred loss in any of the last 3 consecutive	Minimum Required Qualification, S.No. 3, The Bidder has to be profitable and should not have incurred loss in any of the last 3 consecutive Financial Years (FY 2023-24, 2024-25, 2025-26). Govt of India Enterprise/ PSUs are exempted from profitability condition. However in such a case

		Financial Years (FY 2023-24, 2024-25, 2025-26) Attach certificate from CA or any other relevant certificate.	the bidder's current net worth should be positive, and the net worth should not have eroded by more than 30% during the last three financial years ending on the relevant date. Attach certificate from CA or any other relevant authority
5.	Page 14 Section B, Point No.1	EMD of Rs. 1,00,000 (One Lakh)	EMD of Rs. 4,00,000 (Four Lakh Rupees)
6.	Page 18, Section C, S.No. 21	Whether Affidavit-2 submitted on Non-Judicial Stamp paper of Rs. 100	Deleted
7.	Page 25 Section D	D. Bills of Material	D. Bills of Material (Amended) Refer Annexure-1
8.	Page 30 Section E	Financial Bid	Financial Bid (Amended) Refer Annexure-2

The signed Copy of the Addendum is to be submitted along with technical documents for the bid to be considered valid.

(Signature)
(Name of Authorised Signatory)
(Designation of Authorised Signatory)
Company Stamp

Date:
Place:

Annexure-1

D. Bills of Material (Revised)

*Quantity may increase or decrease, some items may be dropped at the time of procurement

S.No.	Description	Product Make and Model quoted	Qty*	Compliance	Deviations (If any). *Attach separate Sheets
A.	Switching				
1a	Extreme Switching 5520 24 1Gb/10Gb SFP+ ports 2 stacking/QSFP28 1 unpopulated VIM slot includes 2 fan modules 2 unpopulated modular PSU slots.	5520-24X	2	Yes ☐ / No ☐	
1b	EW NBD AHR RMA Only 5520-24X [Term: 1 Year]	97004-5520-24X	2	Yes ☐ / No ☐	
1c	EW NBD AHR 5520-24X [Term: 3 Year]	97304-5520-24X	2	Yes ☐ / No ☐	
1d	350 Watt AC Power Supply Module - Front to Back airflow	XN-ACPWR-350W-FB	4	Yes ☐ / No ☐	
1e	Pwr Cord,10A, BS546,IEC320-C13	10035	4	Yes ☐ / No ☐	
1f	100G Passive DAC QSFP28 0.5M	100G-DACP-QSFP25M	2	Yes ☐ / No ☐	
1g	5520 Versatile Interface Module with four 25GbE SFP28 ports MACsec capable supported on Extreme Switching 5520	5520-VIM-4YE	2	Yes ☐ / No ☐	
1h	RJ45 to USB-C console cable 6ft	XN-RJ45-USBC-CONSOLE-CBL	2	Yes ☐ / No ☐	
2a	Extreme Switch 5520 12 100Mb/1Gb/2.5Gb/5Gb 802.3bt 90W PoE 36 10/100/1000BASET FDX/HDX 802.3bt 90W PoE 2 stacking/QSFP28 1 un-pop VIM slot MACsec capable 3 fan modules 2 unpopulated modular PSU slots.	5520-12MW-36W	4	Yes ☐ / No ☐	
2b	EW NBD AHR 5520-12MW-36W [Term: 1 Year]	97004-5520-12MW-36W	4	Yes ☐ / No ☐	
2c	EW NBD AHR 5520-12MW-36W [Term: 3 Year]	97304-5520-12MW-36W	4	Yes ☐ / No ☐	
2d	2000 Watt AC PoE Power Supply Module - Front to Back airflow. Supported on Extreme Switching X465 VSP4900 and 5520	XN-ACPWR-2000W-FB	8	Yes ☐ / No ☐	
2e	Power Cord, 10A, SOUTH AFRICA, SABS 164/1, IEC320-C15	10092	8	Yes ☐ / No ☐	
2f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	4	Yes ☐ / No ☐	
3a	Extreme Switching 5520 48 10/100/1000BASET FDX/HDX 802.3bt 90W PoE 2 stacking/QSFP28 1 unpopulated VIM slot MACsec capable includes 3 fan modules 2 unpopulated modular PSU slots.	5520-48W	2	Yes ☐ / No ☐	
3b	EW NBD AHR 5520-48W [Term: 1 Year]	97004-5520-48W	2	Yes ☐ / No ☐	
3c	EW NBD AHR 5520-48W [Term: 3 Year]	97304-5520-48W	2	Yes ☐ / No ☐	

3d	1100 Watt AC PoE Power Supply Module - Front to Back airflow	XN-ACPWR-1100W-FB	4	Yes ☐ / No ☐	
3e	Power Cord, 10A, SOUTH AFRICA, SABS 164/1, IEC320-C15	10092	4	Yes ☐ / No ☐	
3f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	2	Yes ☐ / No ☐	
4a	Extreme Switching 5520 24 10/100/1000BASE-T FDX/HDX 2 stacking/QSFP28 1 unpopulated VIM slot MACsec capable includes 2 fan modules 2 unpopulated modular PSU slots.	5520-24T	3	Yes ☐ / No ☐	
4b	EW NBD AHR 5520-24T [Term: 1 Year]	97004-5520-24T	3	Yes ☐ / No ☐	
4c	EW NBD AHR 5520-24T [Term: 3 Year]	97304-5520-24T	3	Yes ☐ / No ☐	
4d	350 Watt AC Power Supply Module - Front to Back airflow	XN-ACPWR-350W-FB	6	Yes ☐ / No ☐	
4e	Pwr Cord,10A,BS546,IEC320-C13	10035	6	Yes ☐ / No ☐	
4f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	3	Yes ☐ / No ☐	
5a	Extreme Switching 5520 48 10/100/1000BASE-T FDX/HDX 2 stacking/QSFP28 1 unpopulated VIM slot MACsec capable includes 3 fan modules 2 unpopulated modular PSU slots.	5520-48T	2	Yes ☐ / No ☐	
5b	EW NBD AHR 5520-48T [Term: 1 Year]	97004-5520-48T	2	Yes ☐ / No ☐	
5c	EW NBD AHR 5520-48T [Term: 3 Year]	97304-5520-48T	2	Yes ☐ / No ☐	
5d	350 Watt AC Power Supply Module - Front to Back airflow	XN-ACPWR-350W-FB	4	Yes ☐ / No ☐	
5e	Pwr Cord,10A,BS546,IEC320-C13	10035	4	Yes ☐ / No ☐	
5f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	2	Yes ☐ / No ☐	
6a	Extreme Switching 5320 24x10/100/1000Base-T PoE+ ports 8x1GbE SFP ports upgradeable to 10G SFP+ MACsec capable 1 Fixed AC PSU Fans.	5320-24P-8XE	1	Yes ☐ / No ☐	
6b	EW NBD AHR 5320-16P-4XE [Term: 1 Year]	97004-5320-24P-8XE	1	Yes ☐ / No ☐	
6c	EW NBD AHR 5320-24P-8XE [Term: 3 Year]	97304-5320-24P-8XE	1	Yes ☐ / No ☐	
6d	Pwr Cord,10A,BS546,IEC320-C13	10035	1	Yes ☐ / No ☐	
7a	Extreme Switching 5320 48x10/100/1000Base-T PoE+ ports 8x1GbE SFP ports upgradeable to 10G SFP+ MACsec capable 1 Fixed AC PSU Fans.	5320-48P-8XE	1	Yes ☐ / No ☐	
7b	EW NBD AHR 5320-48P-8XE [Term: 1 Year]	97004-5320-48P-8XE	1	Yes ☐ / No ☐	

7c	EW NBD AHR 5320-48P-8XE [Term: 3 Year]	97304-5320-48P-8XE	1	Yes ☐ / No ☐	
7d	Pwr Cord,10A,BS546,IEC320-C13	10035	1	Yes ☐ / No ☐	
8a	Extreme Switching 5320 16x10/100/1000Base-T PoE+ ports 4x1GbE SFP ports upgradeable to 10G SFP+ MACsec capable 1 Fixed AC PSU Fans.	5320-16P-4XE	1	Yes ☐ / No ☐	
8b	EW NBD AHR 5320-16P-4XE [Term: 1 Year]	97004-5320-16P-4XE	1	Yes ☐ / No ☐	
8c	EW NBD AHR 5320-16P-4XE [Term: 3 Year]	97304-5320-16P-4XE	1	Yes ☐ / No ☐	
8d	Pwr Cord,10A,BS546,IEC320-C13	10035	1	Yes ☐ / No ☐	
Transceivers & DAC Cables					
9	10 Gigabit Ethernet SFP+ module, 1310nm, SMF 10km link, LC connector	10302	34	Yes ☐ / No ☐	
10	25G LR SFP28 10km LC connector Single- Mode MSA P/N ESPT251LR1LCL100.	25G-LR- SFP10KM	4	Yes ☐ / No ☐	
11	100G Passive DAC QSFP28 0.5M	100G-DACP- QSFP25M	9	Yes ☐ / No ☐	
12	100G Passive DAC QSFP28 3m MSA P/N EQPC1HPC030C0100.	100G-DACP- QSFP3M	1	Yes ☐ / No ☐	
13	100G Passive DAC QSFP28 to 4xSFP28 Breakout 1m MSA P/N EQPC1HPC010C01X4.	100G-DACP- QSFP4SFP1M	3	Yes ☐ / No ☐	
B. Wireless Solutions					
14a	HPE Aruba Networking AP-655 (RW) Tri- radio 4x4 802.11ax Wi-Fi 6E Internal Antennas TAA Campus AP	R7J43A	16	Yes ☐ / No ☐	
14b	Aruba 1Y FC NBD Exch AP-65x TAA Campus SVC [for R7J43A]	H59P4E	16	Yes ☐ / No ☐	
14c	Aruba 3Y FC NBD Exch AP-65x TAA Campus SVC [for R7J43A]	H59Q4E	16	Yes ☐ / No ☐	
14d	HPE Aruba Networking AP-MNT-D Campus AP mount bracket kit (individual) type D: solid surface	R3J18A	16	Yes ☐ / No ☐	
15a	HPE Aruba Networking AP-503H (RW) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP	R3V37A	133	Yes ☐ / No ☐	
15b	Aruba 1Y FC NBD Exch AP-503H TAA SVC [for R3V37A]	HU4M7E	133	Yes ☐ / No ☐	
15c	Aruba 3Y FC NBD Exch AP-503H TAA SVC [for R3V37A]	HU4Q7E	133	Yes ☐ / No ☐	
15d	HPE Aruba Networking AP-600H-MNT1 Single-gang Wall-box Mount Kit	S0J42A	133	Yes ☐ / No ☐	
16	HPE Aruba Networking AP-CBL-SERU Micro-USB TTL3.3V to USB2.0 AP Console Adapter Cable	JY728A	2	Yes ☐ / No ☐	
17a	HPE Aruba Networking LIC-AP Controller per AP Capacity License E-LTU	JW472AAE	149	Yes ☐ / No ☐	
17b	Aruba 1Y FC SW Cntrl per AP Cpty E-L SVC [for JW472AAE]	H8FL0E	1	Yes ☐ / No ☐	
17c	Aruba 3Y FC SW Cntrl per AP Cpty E-L SVC [for JW472AAE]	H8FL1E	149	Yes ☐ / No ☐	

C.	Armoured Fiber Back Bone Cabling - OS2 SM				
18	12-core Indoor / Outdoor FRLSZH , Gel-Free, 9/125 SM, OS2	3-2225912-4	600	Yes ☐ / No ☐	
18a	48F, 1U, LC SM OS2, Loaded with Splice tray, Adapter & Splice Protectors	3-2122146-4	1	Yes ☐ / No ☐	
18b	24F, 1U, LC SM OS2, Loaded with Splice tray, Adapter & Splice Protectors	3-2122146-3	1	Yes ☐ / No ☐	
18c	Singlemode LC to LC, Fiber Patch Cord, 1.6 mm Duplex, Low Smoke Zero Halogen (LSZH), 3 Mtr	FFWLCLC42-JXM003	44	Yes ☐ / No ☐	
18d	Singlemode LC to LC, Fiber Patch Cord, 1.6 mm Duplex, Low Smoke Zero Halogen (LSZH), 10 Mtr	FFWLCLC42-JXM010	4	Yes ☐ / No ☐	
D.	Rack & Accessories				
19	42U Enclosure (Size 800 X 1000) Supply includes: with Front Perforated Single Doors - Rear perforated Double Door with standard top & bottom cover, Side Panels, Fan tray with 4 Fans, additional 4 fans to be mounted on back door, Castors, 2 Nos of Vertical Power Strip 5/15A -12 Sockets, Earth Straps, 05 Nos of Hardware Pkt (1 PKT of 20 Nos.)	APW/ APC/ Rittal	3	Yes ☐ / No ☐	
19a	2U Double Sided Horizontal Cable Manager (For Field Cables & Switches)	*****	25	Yes ☐ / No ☐	
19b	1U Double Sided Horizontal Cable Manager (For Field Cables & Switches)	*****	4	Yes ☐ / No ☐	
E.	Conduiting Items & Consumables				
20	40mm HDPE Pipe with Accessories	*****	500	Yes ☐ / No ☐	
20a	50mm High Density Flexible Pipe with Accessories	*****	30	Yes ☐ / No ☐	
20b	40mm HDPE Pipe Coupler	*****	30	Yes ☐ / No ☐	
F.	Services				
21	Switch Installation & Configuration along with 3 years Onsite Support Charges	*****	1	Yes ☐ / No ☐	
21a	Wireless Access Point Installation & Configuration	*****	1	Yes ☐ / No ☐	
21b	12 Core Fiber Cable Laying Charges	*****	600	Yes ☐ / No ☐	
21c	Fiber Core Preparation for Splicing & Fiber Splicing Charges	*****	72	Yes ☐ / No ☐	
21d	Fiber Scanning Charges	*****	36	Yes ☐ / No ☐	
21e	UTP Scanning Charges	*****	576	Yes ☐ / No ☐	
21f	Fiber LIU / Fiber Enclosure / Fiber Route Marker Installation Charges	*****	2	Yes ☐ / No ☐	
21g	Fiber Window Cut Charges	*****	1	Yes ☐ / No ☐	
21h	Closed Rack Installation Charges	*****	4	Yes ☐ / No ☐	
21i	40mm HDPE Pipe Installation Charges	*****	500	Yes ☐ / No ☐	
21j	50mm High Density Flexible Installation Charges	*****	30	Yes ☐ / No ☐	
21k	Soft / Hard Digging & Re-filling / Digging in RCC ~ Road Cutting & Re-filling Charges	*****	150	Yes ☐ / No ☐	

Section E
Financial Bid-Amended

Quote for SITC of Networking and WiFi for new Boys Hostel

S.No.	Description	Product Make and Model quoted	Qty*	Unit Price	Total Price Excl GST	GST	Total Price Incl. GST
A.	Switching						
1a	Extreme Switching 5520 24 1Gb/10Gb SFP+ ports 2 stacking/QSFP28 1 unpopulated VIM slot includes 2 fan modules 2 unpopulated modular PSU slots.	5520-24X	2				
1b	EW NBD AHR RMA Only 5520-24X [Term: 1 Year]	97004-5520-24X	2				
1c	EW NBD AHR 5520-24X [Term: 3 Year]	97304-5520-24X	2				
1d	350 Watt AC Power Supply Module - Front to Back airflow	XN-ACPWR-350W-FB	4				
1e	Pwr Cord,10A, BS546,IEC320-C13	10035	4				
1f	100G Passive DAC QSFP28 0.5M	100G-DACP-QSFPZ5M	2				
1g	5520 Versatile Interface Module with four 25GbE SFP28 ports MACsec capable supported on Extreme Switching 5520	5520-VIM-4YE	2				
1h	RJ45 to USB-C console cable 6ft	XN-RJ45-USBC-CONSOLE-CBL	2				
2a	Extreme Switch 5520 12 100Mb/1Gb/2.5Gb/5Gb 802.3bt 90W PoE 36 10/100/1000BASET FDX/HDX 802.3bt 90W PoE 2 stacking/QSFP28 1 un-pop VIM slot MACsec capable 3 fan modules 2 unpopulated modular PSU slots.	5520-12MW-36W	4				
2b	EW NBD AHR 5520-12MW-36W [Term: 1 Year]	97004-5520-12MW-36W	4				
2c	EW NBD AHR 5520-12MW-36W [Term: 3 Year]	97304-5520-12MW-36W	4				
2d	2000 Watt AC PoE Power Supply Module - Front to Back airflow. Supported on Extreme Switching X465 VSP4900 and 5520	XN-ACPWR-2000W-FB	8				
2e	Power Cord, 10A, SOUTH AFRICA, SABS 164/1, IEC320-C15	10092	8				
2f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	4				

3a	Extreme Switching 5520 48 10/100/1000BASET FDX/HDX 802.3bt 90W PoE 2 stacking/QSFP28 1 unpopulated VIM slot MACsec capable includes 3 fan modules 2 unpopulated modular PSU slots.	5520-48W	2				
3b	EW NBD AHR 5520-48W [Term: 1 Year]	97004-5520-48W	2				
3c	EW NBD AHR 5520-48W [Term: 3 Year]	97304-5520-48W	2				
3d	1100 Watt AC PoE Power Supply Module - Front to Back airflow	XN-ACPWR-1100W-FB	4				
3e	Power Cord, 10A, SOUTH AFRICA, SABS 164/1, IEC320-C15	10092	4				
3f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	2				
4a	Extreme Switching 5520 24 10/100/1000BASET FDX/HDX 2 stacking/QSFP28 1 unpopulated VIM slot MACsec capable includes 2 fan modules 2 unpopulated modular PSU slots.	5520-24T	3				
4b	EW NBD AHR 5520-24T [Term: 1 Year]	97004-5520-24T	3				
4c	EW NBD AHR 5520-24T [Term: 3 Year]	97304-5520-24T	3				
4d	350 Watt AC Power Supply Module - Front to Back airflow	XN-ACPWR-350W-FB	6				
4e	Pwr Cord,10A,BS546,IEC320-C13	10035	6				
4f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	3				
5a	Extreme Switching 5520 48 10/100/1000BASET FDX/HDX 2 stacking/QSFP28 1 unpopulated VIM slot MACsec capable includes 3 fan modules 2 unpopulated modular PSU slots.	5520-48T	2				
5b	EW NBD AHR 5520-48T [Term: 1 Year]	97004-5520-48T	2				
5c	EW NBD AHR 5520-48T [Term: 3 Year]	97304-5520-48T	2				
5d	350 Watt AC Power Supply Module - Front to Back airflow	XN-ACPWR-350W-FB	4				
5e	Pwr Cord,10A,BS546,IEC320-C13	10035	4				
5f	5520 Versatile Interface Module with four 10GbE SFP+ ports supported on Extreme Switching 5520	5520-VIM-4X	2				

6a	Extreme Switching 5320 24x10/100/1000Base-T PoE+ ports 8x1GbE SFP ports upgradeable to 10G SFP+ MACsec capable 1 Fixed AC PSU Fans.	5320-24P-8XE	1				
6b	EW NBD AHR 5320-16P-4XE [Term: 1 Year]	97004-5320- 24P-8XE	1				
6c	EW NBD AHR 5320-24P-8XE [Term: 3 Year]	97304-5320- 24P-8XE	1				
6d	Pwr Cord,10A,BS546,IEC320-C13	10035	1				
7a	Extreme Switching 5320 48x10/100/1000Base-T PoE+ ports 8x1GbE SFP ports upgradeable to 10G SFP+ MACsec capable 1 Fixed AC PSU Fans.	5320-48P-8XE	1				
7b	EW NBD AHR 5320-48P-8XE [Term: 1 Year]	97004-5320- 48P-8XE	1				
7c	EW NBD AHR 5320-48P-8XE [Term: 3 Year]	97304-5320- 48P-8XE	1				
7d	Pwr Cord,10A,BS546,IEC320-C13	10035	1				
8a	Extreme Switching 5320 16x10/100/1000Base-T PoE+ ports 4x1GbE SFP ports upgradeable to 10G SFP+ MACsec capable 1 Fixed AC PSU Fans.	5320-16P-4XE	1				
8b	EW NBD AHR 5320-16P-4XE [Term: 1 Year]	97004-5320- 16P-4XE	1				
8c	EW NBD AHR 5320-16P-4XE [Term: 3 Year]	97304-5320- 16P-4XE	1				
8d	Pwr Cord,10A,BS546,IEC320-C13	10035	1				
Transceivers & DAC Cables							
9	10 Gigabit Ethernet SFP+ module, 1310nm, SMF 10km link, LC connector	10302	34				
10	25G LR SFP28 10km LC connector Single-Mode MSA P/N ESPT251LR1LCL100.	25G-LR- SFP10KM	4				
11	100G Passive DAC QSFP28 0.5M	100G-DACP- QSFPZ5M	9				
12	100G Passive DAC QSFP28 3m MSA P/N EQPC1HPC030C0100.	100G-DACP- QSFP3M	1				
13	100G Passive DAC QSFP28 to 4xSFP28 Breakout 1m MSA P/N EQPC1HPC010C01X4.	100G-DACP- QSFP4SFP1M	3				
B. Wireless Solutions							
14a	HPE Aruba Networking AP-655 (RW) Tri- radio 4x4 802.11ax Wi-Fi 6E Internal Antennas TAA Campus AP	R7J43A	16				
14b	Aruba 1Y FC NBD Exch AP-65x TAA Campus SVC [for R7J43A]	H59P4E	16				
14c	Aruba 3Y FC NBD Exch AP-65x TAA Campus SVC [for R7J43A]	H59Q4E	16				

14d	HPE Aruba Networking AP-MNT-D Campus AP mount bracket kit (individual) type D: solid surface	R3J18A	16				
15a	HPE Aruba Networking AP-503H (RW) Dual Radio 802.11ax 2x2 1+2 Ethernet Unified TAA Hospitality AP	R3V37A	133				
15b	Aruba 1Y FC NBD Exch AP-503H TAA SVC [for R3V37A]	HU4M7E	133				
15c	Aruba 3Y FC NBD Exch AP-503H TAA SVC [for R3V37A]	HU4Q7E	133				
15d	HPE Aruba Networking AP-600H-MNT1 Single-gang Wall-box Mount Kit	S0J42A	133				
16	HPE Aruba Networking AP-CBL-SERU Micro-USB TTL3.3V to USB2.0 AP Console Adapter Cable	JY728A	2				
17a	HPE Aruba Networking LIC-AP Controller per AP Capacity License E-LTU	JW472AAE	149				
17b	Aruba 1Y FC SW Cntrl per AP Cpty E-L SVC [for JW472AAE]	H8FL0E	1				
17c	Aruba 3Y FC SW Cntrl per AP Cpty E-L SVC [for JW472AAE]	H8FL1E	149				
C.	Armoured Fiber Back Bone Cabling - OS2 SM						
18	12-core Indoor / Outdoor FRLSZH , Gel-Free, 9/125 SM, OS2	3-2225912-4	600				
18a	48F, 1U, LC SM OS2, Loaded with Splice tray, Adapter & Splice Protectors	3-2122146-4	1				
18b	24F, 1U, LC SM OS2, Loaded with Splice tray, Adapter & Splice Protectors	3-2122146-3	1				
18c	Singlemode LC to LC, Fiber Patch Cord, 1.6 mm Duplex, Low Smoke Zero Halogen (LSZH), 3 Mtr	FFWLCLC42-JXM003	44				
18d	Singlemode LC to LC, Fiber Patch Cord, 1.6 mm Duplex, Low Smoke Zero Halogen (LSZH), 10 Mtr	FFWLCLC42-JXM010	4				
D.	Rack & Accessories						
19	42U Enclosure (Size 800 X 1000) Supply includes: with Front Perforated Single Doors - Rear perforated Double Door with standard top & bottom cover, Side Panels, Fan tray with 4 Fans, additional 4 fans to be mounted on back door, Castors, 2 Nos of Vertical Power Strip 5/15A -12 Sockets, Earth Straps, 05 Nos of Hardware Pkt (1 PKT of 20 Nos.)	APW/ APC/ Rittal	3				
19a	2U Double Sided Horizontal Cable Manager (For Field Cables & Switches)	*****	25				
19b	1U Double Sided Horizontal Cable Manager (For Field Cables & Switches)	*****	4				
E.	Conduiting Items & Consumables						
20	40mm HDPE Pipe with Accessories	*****	500				
20a	50mm High Density Flexible Pipe with	*****	30				

	Accessories						
20b	40mm HDPE Pipe Coupler	*****	30				
F.	Services						
21	Switch Installation & Configuration along with 3 years Onsite Support Charges	*****	1				
21a	Wireless Access Point Installation & Configuration	*****	2				
21b	12 Core Fiber Cable Laying Charges	*****	3				
21c	Fiber Core Preparation for Splicing & Fiber Splicing Charges	*****	4				
21d	Fiber Scanning Charges	*****	5				
21e	UTP Scanning Charges	*****	6				
21f	Fiber LIU / Fiber Enclosure / Fiber Route Marker Installation Charges	*****	7				
21g	Fiber Window Cut Charges	*****	8				
21h	Closed Rack Installation Charges	*****	9				
21i	40mm HDPE Pipe Installation Charges	*****	10				
21j	50mm High Density Flexible Installation Charges	*****	11				
21k	Soft / Hard Digging & Re-filling / Digging in RCC ~ Road Cutting & Re-filling Charges	*****	12				

Total Amount in Figures: Rs. _____

Total Amount in Words: Rupees _____

Delivery period in Weeks for Supply and Installation: _____

Installation, Testing and Commissioning period in Weeks: _____

Note:

*Quantity of new purchase may increase/decrease/ may be zero at the time of placing order.

- The Scope and specifications given in Section-D must be agreed. The bid with deviations would be rejected.
- Quotation Validity Period: - 120 days from the last date of Submission of quotation/tender.
- In case of discrepancy in the amount quoted in figure and words, the amount mentioned, which results in lowest payable by MDI will be taken into consideration.
- 5-year warranty from OEM with next day business support.
- Price quoted should be inclusive of freight, cartage, delivery and installation at MDI Gurgaon Campus. Nothing extra will be paid.
- MDI may place the order for the whole/ some of the items indicated above. Quantity of each item may vary (increase/ decrease) at the time of placing the order. Decision of competent authority of MDI in this regard shall be final and acceptable to the bidder.

- **Not delivering items within the period indicated above would attract penalty**
- **Financial bid not in the format (as above) would be summarily rejected.**
- **All items must be quoted. Not quoting for one or more of the above items would lead to rejection of the bid.**
- **Payment terms not in conformity of the tender terms would lead to rejection of the bid.**

Name of Authorized Signatory)
(Designation of Authorized Signatory)
(Name of Vendor)
Signature & Stamp.....

Date:
Place: