

Management Development Institute Gurgaon

Date: 08.10.2026

Addendum-1

Tender Ref. No.: MDI/CC/2026-27/ CCTV-NAB-H/03

Date: 22.09.2026

Sub: Invitation of sealed quotations for SITC of CCTV for NAB and Hostels.

S. No.	Page No./ Clause No./ Sr.No.	Existing Description/ Query	Revised Description
1.	Page 1	EMD of Rs. 4,00,000/-(Four Lakh Rupees) through Demand Draft from any scheduled bank in favor of Management Development Institute Society payable at Gurugram, Haryana	EMD of Rs. 4,00,000/-(Four Lakh Rupees) through Demand Draft from any scheduled bank in favor of Management Development Institute Society payable at Gurugram, Haryana. Exemption from EMD given only to Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department [or Startups as recognized by Department for Promotion of Industry and Internal Trade (DPIIT) subject to submission of supporting documentary proof.
2.	Page 1	Last Date of Bid Submission 13.10.2026 3:30 PM	Last Date of Bid Submission 27.10.2026 3:30 PM
3.	Page 11 Point No.2	Bids without EMD would be rejected.	Bids without EMD would be rejected except in case of Micro and Small Enterprises (MSEs) as defined in MSE Procurement Policy issued by Department of Micro, Small and Medium Enterprises (MSME) or are registered with the Central Purchase Organization or the concerned Ministry or Department [or Startups as recognized by Department for Promotion of Industry and Internal Trade (DPIIT) subject to submission of supporting documentary proof.

4.	Page 11	Minimum Required Qualification, S.No. 3, The Bidder has to be profitable and should not have incurred loss in any of the last 3 consecutive Financial Years (FY 2023-24, 2024-25, 2025-26) Attach certificate from CA or any other relevant certificate.	Minimum Required Qualification, S.No. 3, The Bidder has to be profitable and should not have incurred loss in any of the last 3 consecutive Financial Years (FY 2023-24, 2024-25, 2025-26). Govt of India Enterprise/ PSUs are exempted from profitability condition. However in such a case the bidder's current net worth should be positive, and the net worth should not have eroded by more than 30% during the last three financial years ending on the relevant date. Attach certificate from CA or any other relevant authority
5.	Page 14 Point No.1	EMD of Rs. 1,00,000 (One Lakh)	EMD of Rs. 4,00,000 (Four Lakh Rupees)
6.	Page 18, Section C, S.No. 21	Whether Affidavit-2 submitted on Non-Judicial Stamp paper of Rs. 100	Deleted
7.	Page 25 Section D	D. Bills of Material	D. Bills of Material (Amended) Refer Annexure-1
8.	Page 30	Financial Bid	Financial Bid (Amended) Refer Annexure-2

The signed Copy of the Addendum is to be submitted along with technical documents for the bid to be considered valid.

(Signature)
(Name of Authorised Signatory)
(Designation of Authorised Signatory)
Company Stamp

Date:
Place:

Annexure-1

Quantity may increase or decrease or an item may be dropped

S.No.	Description of items required	Quantity*	Unit	Product Make and Model quoted	Compliance	Deviations (If any). *Attach separate Sheets
1	Supply of 4MPand above Network IR Fixed Bullet Camera with 4mm Lens, 1/3 inch CMOS or better, Resolution Min. 2560 x 1440 at 25 FPS or better, Video Compression H.264/ H.265, Password protection, complicated password, watermark, digest authentication for HTTP, WSSE and digest authentication for ONVIF (Profile S, T & M), Protocol - TCP/IP, ICMP, IGMP, Multicast, NTP, SNMP, IPv4, IPv6, HTTP, HTTPS, RTSP, SRTP/RTSPS, NAT, RTCP, UPnP, SSH, SMTP, SSL/TTL Security Audit Log , Rotate mode, saturation, brightness, contrast, sharpness, gain, white balance adjustable by client software or web browser, Illumination-Color: 0.005 Lux @ (F1.6, AGC ON), 0 Lux with IR on , Operating Temperature --30, °C to +60 °C Humidity 95% or less (non-condensing),IP67 ,Line crossing detection, Intrusion detection, Motion Detection specified target types (Human and Vehicle) , Certification - CE,FCC,ER BIS & STQC. one year standard warranty Make: CP Plus/ Honeywell Impact/ Prama India/ Matrix Comsec	110	Nos		Yes ☐ / No ☐	
2	Three-year standard warranty	110	110		Yes ☐ / No ☐	
3	Supply of 4MPand above Network IR Fixed Bullet Camera with 4mm Lens, 1/3 inch CMOS or better, Resolution Min. 2560 x 1440 at 25 FPS or better, Video Compression H.264/ H.265, Password protection, complicated password, watermark, digest authentication for HTTP, WSSE and digest authentication for ONVIF (Profile S, T & M), Protocol - TCP/IP, ICMP, IGMP, Multicast, NTP, SNMP, IPv4, IPv6, HTTP, HTTPS, RTSP, SRTP/RTSPS, NAT, RTCP, UPnP, SSH, SMTP, SSL/TTL Security Audit Log , Rotate mode, saturation, brightness, contrast, sharpness, gain, white balance adjustable by client software or web browser, Illumination-Color: 0.005 Lux @ (F1.6, AGC ON), 0 Lux with IR on , Operating Temperature --30, °C to +60 °C Humidity 95% or less (non-condensing),IP67 ,Line crossing detection, Intrusion detection,	130	Nos		Yes ☐ / No ☐	

	Motion Detection specified target types (Human and Vehicle) , Certification - CE,FCC,ER BIS & STQC. one year standard warranty Make: CP Plus/ Honeywell Impact/ Prama India/ Matrix Comsec					
4	Three year standard warranty	130			Yes ☐ / No ☐	
5	Supply of Network Video Management Base Software, with Operator Client Licenses 20 Nos & Web Client Licenses 20 Nos scalable to 2500 or higher cameras on a single database server, with multi-server/site support, virtual matrix, and unlimited clients. The VMS shall support ONVIF S, G, T & M profiles, GPU-based video decoding, adaptive streaming, rule engine, role-based access, server-based VMD, edge storage backfill, bookmarks with comments, hot/cold standby failover, time-lapse, timeline, preview search, synchronous multi-server playback, dashboard with camera health monitoring and reporting, cybersecurity (digital signing, HTTPS/SSL), smart web client, camera firmware/password management, Android/iOS apps, and N+N redundancy. one year standard warranty Make -Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort/Lenscorp AI/ ViewLine	1	Nos		Yes ☐ / No ☐	
6	Three year standard warranty	1			Yes ☐ / No ☐	
7	Camera Licenses with Failover camera licenses Make -Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	250	Nos		Yes ☐ / No ☐	
8	One Year VMS Support, Make - Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	1	Nos		Yes ☐ / No ☐	
9	Three Year VMS Support, Make - Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	1			Yes ☐ / No ☐	
10	Dashboard & Report Module for 240 Cameras Make -Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	5	Lot		Yes ☐ / No ☐	
11	Chassis & Form Factor: 2U Rack-mountable Server with standard sliding rail kit and cable management arm. Front drive bay layout must natively support Large Form Factor (3.5-inch LFF) drives. Processor (Compute): 1 x Intel® Xeon® Silver 4510 Processor (12 Cores, 24 Threads, 2.40 GHz Base Clock, 30 MB L3 Cache, 150W TDP) or exact architectural equivalent. System Memory: 64 GB Total	1	No.		Yes ☐ / No ☐	

DDR5 Registered ECC Smart Memory consisting of 1 x 64GB module running at a minimum speed of 5600 MT/s. Minimum 16 to 32 total DIMM slots available for future expansion. Storage Controller: PCIe Gen4 High-Performance Tri-Mode Hardware RAID Controller equipped with a minimum of 16 internal lanes and 8 GB of Flash-Backed Cache (FBWC) or write-cache protection. Must support RAID 0, 1, 5, 6, 10, 50, 60. Must support Secure Boot/SPDM hardware authentication. Internal Storage Media: OS Boot Array: 2 x 480GB SATA Enterprise 2.5-inch Read-Intensive (RI) Solid State Drives (SSD) in a hardware RAID-1 mirror configuration. Data Cache Array: 2 x 1.92TB SATA Enterprise Read-Intensive (RI) Solid State Drives (SSD). Bulk Storage Pool: 15 x 20TB SATA Enterprise 7.2K RPM 3.5-inch Large Form Factor (LFF) Hot-Plug Hard Disk Drives (HDD), delivering a total loaded capacity of 300 TB raw space. Network Interfaces: Integrated Open Compute Project (OCP 3.0) Form-Factor 2 Nos of Network Adapter providing 4 x 10GbE Base-T (RJ45) Ethernet ports. Cooling: Standard redundant internal hot-plug cooling fan matrix (minimum 4 fans) matching single-processor thermal architecture profiles. Power Supply: Dual (1+1) Hot-Plug Redundant Power Supplies, minimum 1000W capacity each, certified at 80 PLUS Titanium efficiency rating. System Management: Dedicated on-board remote management microcontroller (equivalent to HPE iLO / Dell iDRAC / Lenovo XClarity) with Advanced or Enterprise software license activated for full remote KVM HTML5 redirection, virtual media attachment, and comprehensive power cap profiling. Operating System License: Legal, genuine Perpetual License for Windows Server 2025 Standard (16-Core base license included) with digital media/activation key. Warranty & Support: Minimum 3 Years Parts, 3 Years Labor, 3 Years Next Business Day (NBD) Onsite Service provided directly by the original equipment manufacturer (OEM). Make: Dell/HPE/Lenovo					
---	--	--	--	--	--

12	For S.No. -11 above item Warranty & Support: Minimum 3 Years Parts, 3 Years Labor, 3 Years Next Business Day (NBD) Onsite Service provided directly by the original equipment manufacturer (OEM). Make: Dell/HPE/Lenovo	1	No.		Yes ☐ / No ☐	
13	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) and equaling given switch CISCO / HPE of including all cables, connector etc with 1 year AHR Warranty and NBD Support	3	No.		Yes ☐ / No ☐	
14	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) equaling given switch CISCO / HPE including all cables, connector etc with 3 year AHR Warranty and NBD Support	3	Nos.		Yes ☐ / No ☐	
15	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 1year AHR Warranty and NBD Support	1	No.		Yes ☐ / No ☐	
16	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 3year AHR Warranty and NBD Support	1			Yes ☐ / No ☐	
17	Supply & Commissioning of 48 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-48P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 3 year AHR Warranty and NBD Support	1	Nos.		Yes ☐ / No ☐	
18	Supply & Commissioning of 48 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-48P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 3 year AHR Warranty and NBD Support	1			Yes ☐ / No ☐	
19	SFP 10G (Same brand as Switch)	8	Nos.		Yes ☐ / No ☐	
20	Fiber patch cord 3m	8	Nos.		Yes ☐ / No ☐	
21	Supply & Commissioning of 48 Port Fully Loaded LIU	1	Nos.		Yes ☐ / No ☐	
22	Supply & Commissioning of 24 port Fully Loaded LIU	3	Nos.		Yes ☐ / No ☐	
23	Supply & Installation of 9U Rack	5	Nos.		Yes ☐ / No ☐	
24	Supply & Installation of HDPE Pipe 32 mm dia	100	mtr.		Yes ☐ / No ☐	
25	Supply & Laying of Power Cable 3 Core	1500	mtr.		Yes ☐ / No ☐	

	1.5 sq mm					
26	Supply and Laying of UTP CAT-6A Cable Make: R&M/ CommScope	1500	mtr.		Yes ☐ / No ☐	
27	Supply & Laying of OFC 6 Core Make: R&M	500	mtr.		Yes ☐ / No ☐	
28	Supply & Fixing UTP CAT-6A Patch Cord 1 mtr Make: R&M/ CommScope	480	Nos.		Yes ☐ / No ☐	
29	Supply & Commissioning of 24 Port CAT-6A Patch Panel Make: R&M/ CommScope	10	Nos.		Yes ☐ / No ☐	
30	Laying of PVC Baton/Conduit Pipe 25mm	100	mtr		Yes ☐ / No ☐	
31	I/O Cat 6A Make: R&M/ CommScope	480	Nos.		Yes ☐ / No ☐	
32	Faceplate with Gangbox Make: R&M/ CommScope	240	Nos.		Yes ☐ / No ☐	
33	Fiber Pigtails Make: R&M/ CommScope	48	Nos.		Yes ☐ / No ☐	
34	2U Double side horizontal cable manager	10	Nos		Yes ☐ / No ☐	
35	Slice protector Sleeve (24F,1U, LC SM OS2 loaded with splice tray with splice closure, Gel Cable)	2	Pkt		Yes ☐ / No ☐	
36	All cable, connectors and any other work incidental to completion of the CCTV Project	1	Job		Yes ☐ / No ☐	
37	Installation Testing & Commissioning, integration of all CCTV camera with VMS and setting up control room as required, plus documentation (layout, drawing, etc)	1	Job		Yes ☐ / No ☐	

Section E

Financial Bid*Quote for SITC of CCTV for NAB and new Hostels*

S. No.	Description of items required	Qty*	Unit Price	Total Price Excl. GST	GST	Total Price Incl. GST
1	Supply of 4MPand above Network IR Fixed Bullet Camera with 4mm Lens, 1/3 inch CMOS or better, Resolution Min. 2560 x 1440 at 25 FPS or better, Video Compression H.264/ H.265, Password protection, complicated password, watermark, digest authentication for HTTP, WSSE and digest authentication for ONVIF (Profile S, T & M), Protocol - TCP/IP, ICMP, IGMP, Multicast, NTP, SNMP, IPv4, IPv6, HTTP, HTTPS, RTSP, SRTP/RTSPS, NAT, RTCP, UPnP, SSH, SMTP, SSL/TTL Security Audit Log , Rotate mode, saturation, brightness, contrast, sharpness, gain, white balance adjustable by client software or web browser, Illumination-Color: 0.005 Lux @ (F1.6, AGC ON), 0 Lux with IR on , Operating Temperature --30, °C to +60 °C Humidity 95% or less (non-condensing),IP67 ,Line crossing detection, Intrusion detection, Motion Detection specified target types (Human and Vehicle) , Certification - CE,FCC,ER BIS & STQC. one year standard warranty Make: CP Plus/ Honeywell Impact/ Prama India/ Matrix Comsec	110				
2	Three-year standard warranty	110				
3	Supply of 4MPand above Network IR Fixed Bullet Camera with 4mm Lens, 1/3 inch CMOS or better, Resolution Min. 2560 x 1440 at 25 FPS or better, Video Compression H.264/ H.265, Password protection, complicated password, watermark, digest authentication for HTTP, WSSE and digest authentication for ONVIF (Profile S, T & M), Protocol - TCP/IP, ICMP, IGMP, Multicast, NTP, SNMP, IPv4, IPv6, HTTP, HTTPS, RTSP, SRTP/RTSPS, NAT, RTCP, UPnP, SSH, SMTP, SSL/TTL Security Audit Log , Rotate mode, saturation, brightness, contrast, sharpness, gain, white balance adjustable by client software or web browser,	130				

	Illumination-Color: 0.005 Lux @ (F1.6, AGC ON), 0 Lux with IR on , Operating Temperature --30, °C to +60 °C Humidity 95% or less (non-condensing),IP67 ,Line crossing detection, Intrusion detection, Motion Detection specified target types (Human and Vehicle) , Certification - CE,FCC,ER BIS & STQC. one year standard warranty Make: CP Plus/ Honeywell Impact/ Prama India/ Matrix Comsec					
4	Three year standard warranty	130				
5	Supply of Network Video Management Base Software, with Operator Client Licenses 20 Nos & Web Client Licenses 20 Nos scalable to 2500 or higher cameras on a single database server, with multi-server/site support, virtual matrix, and unlimited clients. The VMS shall support ONVIF S, G, T & M profiles, GPU-based video decoding, adaptive streaming, rule engine, role-based access, server-based VMD, edge storage backfill, bookmarks with comments, hot/cold standby failover, time-lapse, timeline, preview search, synchronous multi-server playback, dashboard with camera health monitoring and reporting, cybersecurity (digital signing, HTTPS/SSL), smart web client, camera firmware/password management, Android/iOS apps, and N+N redundancy. one year standard warranty Make -Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort/Lenscorp AI/ ViewLine	1				
6	Three year standard warranty	1				
7	Camera Licenses with Failover camera licenses Make -Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	250				
8	One Year VMS Support, Make - Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	1				
9	Three Year VMS Support, Make - Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	1				
10	Dashboard & Report Module for 240 Cameras Make -Milestone/ Genetec/ AxxonSoft/ Network Optix/ Digifort	5				

11	Chassis & Form Factor: 2U Rack-mountable Server with standard sliding rail kit and cable management arm. Front drive bay layout must natively support Large Form Factor (3.5-inch LFF) drives. Processor (Compute): 1 x Intel® Xeon® Silver 4510 Processor (12 Cores, 24 Threads, 2.40 GHz Base Clock, 30 MB L3 Cache, 150W TDP) or exact architectural equivalent. System Memory: 64 GB Total DDR5 Registered ECC Smart Memory consisting of 1 x 64GB module running at a minimum speed of 5600 MT/s. Minimum 16 to 32 total DIMM slots available for future expansion. Storage Controller: PCIe Gen4 High-Performance Tri-Mode Hardware RAID Controller equipped with a minimum of 16 internal lanes and 8 GB of Flash-Backed Cache (FBWC) or write-cache protection. Must support RAID 0, 1, 5, 6, 10, 50, 60. Must support Secure Boot/SPDM hardware authentication. Internal Storage Media: OS Boot Array: 2 x 480GB SATA Enterprise 2.5-inch Read-Intensive (RI) Solid State Drives (SSD) in a hardware RAID-1 mirror configuration. Data Cache Array: 2 x 1.92TB SATA Enterprise Read-Intensive (RI) Solid State Drives (SSD). Bulk Storage Pool: 15 x 20TB SATA Enterprise 7.2K RPM 3.5-inch Large Form Factor (LFF) Hot-Plug Hard Disk Drives (HDD), delivering a total loaded capacity of 300 TB raw space. Network Interfaces: Integrated Open Compute Project (OCP 3.0) Form-Factor 2 Nos of Network Adapter providing 4 x 10GbE Base-T (RJ45) Ethernet ports. Cooling: Standard redundant internal hot-plug cooling fan matrix (minimum 4 fans) matching single-processor thermal architecture profiles. Power Supply: Dual (1+1) Hot-Plug Redundant Power Supplies, minimum 1000W capacity each, certified at 80 PLUS Titanium efficiency rating. System Management: Dedicated on-board remote management microcontroller (equivalent to HPE iLO / Dell iDRAC / Lenovo XClarity) with Advanced or Enterprise software license activated for full remote KVM HTML5 redirection, virtual media attachment, and comprehensive power cap profiling. Operating System License: Legal, genuine Perpetual License for Windows Server 2025 Standard (16-Core base license included) with digital	1				
----	---	---	--	--	--	--

	media/activation key. Warranty & Support: Minimum 3 Years Parts, 3 Years Labor, 3 Years Next Business Day (NBD) Onsite Service provided directly by the original equipment manufacturer (OEM). Make: Dell/HPE/Lenovo					
12	For S.No. -11 above item Warranty & Support: Minimum 3 Years Parts, 3 Years Labor, 3 Years Next Business Day (NBD) Onsite Service provided directly by the original equipment manufacturer (OEM). Make: Dell/HPE/Lenovo					
13	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) and equaling given switch CISCO / HPE of including all cables, connector etc with 1 year AHR Warranty and NBD Support	3				
14	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) equaling given switch CISCO / HPE including all cables, connector etc with 3 year AHR Warranty and NBD Support	3				
15	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 1year AHR Warranty and NBD Support	1				
16	Supply & Commissioning of 24 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-24P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 3year AHR Warranty and NBD Support	1				
17	Supply & Commissioning of 48 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-48P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 3 year AHR Warranty and NBD Support	1				
18	Supply & Commissioning of 48 Port PoE+ Switch Gigabit with 2SFP+ (Extreme 5320-48P-8XE) and equaling given switch CISCO / HPE including all cables, connector etc with 3 year AHR Warranty and NBD Support	1				
19	SFP 10G (Same brand as Switch)	8				
20	Fiber patch cord 3m	8				
21	Supply & Commissioning of 48 Port Fully Loaded LIU	1				
22	Supply & Commissioning of 24 port Fully	3				

	Loaded LIU					
23	Supply & Installation of 9U Rack	5				
24	Supply & Installation of HDPE Pipe 32 mm dia	100				
25	Supply & Laying of Power Cable 3 Core 1.5 sq mm	1500				
26	Supply and Laying of UTP CAT-6A Cable Make: R&M/ CommScope	1500				
27	Supply & Laying of OFC 6 Core Make: R&M	500				
28	Supply & Fixing UTP CAT-6A Patch Cord 1 mtr Make: R&M/ CommScope	480				
29	Supply & Commissioning of 24 Port CAT-6A Patch Panel Make: R&M/ CommScope	10				
30	Laying of PVC Baton/Conduit Pipe 25mm	100				
31	I/O Cat 6A Make: R&M/ CommScope	480				
32	Faceplate with Gangbox Make: R&M/ CommScope	240				
33	Fiber Pigtails Make: R&M/ CommScope	48				
34	2U Double side horizontal cable manager	10				
35	Slice protector Sleeve (24F, 1U, LC SM OS2 loaded with splice tray with splice closure, Gel Cable)	2				
36	All cable, connectors and any other work incidental to completion of the CCTV Project	1				
37	Installation Testing & Commissioning, integration of all CCTV camera with VMS and setting up control room as required, plus documentation (layout, drawing, etc)	1				

Total Amount in Figures: Rs. _____

Total Amount in Words: Rupees _____

Delivery period in Weeks for Supply and Installation: _____

Note:

*Quantity of new purchase may increase/decrease/ may be zero at the time of placing order.

- The Scope and specifications given in Section-D must be agreed. The bid with deviations would be rejected.
- Quotation Validity Period: - 120 days from the last date of Submission of quotation/tender.
- In case of discrepancy in the amount quoted in figure and words, the amount mentioned, which results in lowest payable by MDI will be taken into consideration.
- 3-year warranty from OEM with next day business support.
- Price quoted should be inclusive of freight, cartage, delivery and installation at MDI Gurgaon Campus. Nothing extra will be paid.
- MDI may place the order for the whole/ some of the items indicated above. Quantity of each

item may vary (increase/ decrease) at the time of placing the order. Decision of competent authority of MDI in this regard shall be final and acceptable to the bidder.

- **Not delivering items within the period indicated above would attract penalty**
- **Financial bid not in the format (as above) would be summarily rejected.**
- **All items must be quoted. Not quoting for one or more of the above items would lead to rejection of the bid.**
- **Payment terms not in conformity of the tender terms would lead to rejection of the bid.**

Name of Authorized Signatory)
(Designation of Authorized Signatory)
(Name of Vendor)
Signature & Stamp.....
Date:
Place: